

R J Hill Laboratories Limited 28 Duke Street Frankton 3204

T 0508 HILL LAB (44 555 22) +64 7 858 2000 E mail@hill-labs.co.nz W www.hill-laboratories.com

Certificate of Analysis

Page 1 of 3

SPv1

Client: Contact: Hawkes Bay Regional Council

Ariana Mackay

C/- Hawkes Bay Regional Council

Private Bag 6006 Napier 4142

Lab No: 2448987 **Date Received:** 03-Oct-2020 **Date Reported:** 12-Oct-2020 **Quote No:** 105684 **Order No:** RM1174

Client Reference: Whangawehi (Sept.)

Add. Client Ref: 312-200 **Submitted By:** Ariana Mackay

Sample Type: Aqueous						
	Sample Name:	78006 - Whangawehi Strm at Pat	78007 - Mangatupae Strm at Pat	78008 - Whangawehi at George Ormonds	78009 - Coops - Trib of Whangawhi -	78010 - Reserve Stream - Trib of Whangawehi -
		O'Brians-3304	O'Brians-3303 02-Oct-2020 1:00 pm	-3301 02-Oct-2020 11:50 am		3307 02-Oct-2020 10:00 am
	Lab Number:	2448987.1	2448987.2	2448987.3	2448987.4	2448987.5
Faecal Coliforms and E. coli pi				L	I	I
Faecal Coliforms	cfu / 100mL	100 #1	30 #1	10 #1	110 #1	100 #1
Escherichia coli	cfu / 100mL	90 #1	30 #1	10 #1	90 #1	100 #1
HBRC Standard River						
Turbidity ISO	FNU	1.69	0.31	1.58	0.78	1.77
pH	pH Units	8.1	7.9	8.1	8.2	8.1
Electrical Conductivity (EC)	μS/cm	554	631	545	562	582
Volatile Suspended Solids	g/m³	1.1	< 0.5	< 0.5	< 0.5	0.6
Total Suspended Solids	g/m³	3.0	1.2	1.1	1.3	1.8
Total Nitrogen	g/m³	0.25	0.21	0.25	0.19	0.33
Total Ammoniacal-N	g/m³	0.022	< 0.005	< 0.005	0.008	0.038
Nitrite-N	g/m³	0.0034	< 0.0010	< 0.0010	0.0012	0.0025
Nitrate-N	g/m³	0.083	0.0021	0.0028	0.030	0.166
Nitrate-N + Nitrite-N	g/m³	0.086	0.0026	0.0036	0.031	0.168
Total Kjeldahl Nitrogen (TKN)	g/m³	0.16	0.21	0.25	0.16	0.16
Dissolved Reactive Phosphoru	is g/m³	0.054	0.0149 #2	0.044	0.043	0.071
Total Phosphorus	g/m³	0.064	0.013 #2	0.055	0.045	0.082
•	Sample Name:	78011 - Whangawehi US Reserve Confl - 3308 02-Oct-2020 9:30 am	78012 - Whangawehi DS Cattleyards - 3309 02-Oct-2020 10:45 am			
	Lab Number:	2448987.6	2448987.7			
Faecal Coliforms and E. coli pi	rofile					
Faecal Coliforms	cfu / 100mL	140 #1	150 #1	-	-	-
Escherichia coli	cfu / 100mL	30 #1	140 #1	-	-	-
HBRC Standard River						
Turbidity ISO	FNU	1.43	0.54	-	-	-
рH	pH Units	8.0	7.9	-	-	-
Electrical Conductivity (EC)	μS/cm	535	499	-	-	-
Volatile Suspended Solids	g/m³	< 0.5	< 0.5	-	-	-
Total Suspended Solids	g/m³	0.6	< 0.5	-	-	-
Total Nitrogen	g/m³	0.48	0.42	-	-	-
Total Ammoniacal-N	g/m³	0.009	0.014	-	-	-
Nitrite-N	g/m³	0.0017	0.0014	-	-	-





This Laboratory is accredited by International Accreditation New Zealand (IANZ), which represents New Zealand in the International Laboratory Accreditation Cooperation (ILAC). Through the ILAC Mutual Recognition Arrangement (ILAC-MRA) this accreditation is internationally recognised. The tests reported herein have been performed in accordance with the terms of accreditation, with the exception of tests marked * or any comments and interpretations, which are not accredited.

Sample Type: Aqueous						
Sam	ple Name:	78011 -	78012 -			
	-	Whangawehi US	Whangawehi DS			
		Reserve Confl -	Cattleyards -			
		3308 02-Oct-2020	3309 02-Oct-2020			
		9:30 am	10:45 am			
Lal	Number:	2448987.6	2448987.7			
HBRC Standard River						
Nitrate-N	g/m³	0.29	0.101	-	-	-
Nitrate-N + Nitrite-N	g/m³	0.29	0.102	-	-	-
Total Kjeldahl Nitrogen (TKN)	g/m³	0.19	0.32	-	-	-
Dissolved Reactive Phosphorus	g/m³	0.065	0.036	-	-	-
Total Phosphorus	g/m³	0.074	0.040	-	-	-

Analyst's Comments

It was noted that the sample container provided by the customer may not be sterile. As such, please interpret these microbiological results with caution.

Summary of Methods

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively simple matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis. A detection limit range indicates the lowest and highest detection limits in the associated suite of analytes. A full listing of compounds and detection limits are available from the laboratory upon request. Unless otherwise indicated, analyses were performed at Hill Laboratories, 28 Duke Street, Frankton, Hamilton 3204.

Sample Type: Aqueous			<u> </u>
Test	Method Description	Default Detection Limit	Sample No
Individual Tests			
Filtration, Unpreserved	Sample filtration through 0.45µm membrane filter.	-	1-7
Turbidity - ISO 7027 Method	Analysis using a Hach 2100N IS, Turbidity meter. ISO 7027:1999(E) (modified).	0.05 FNU	1-7
pΗ	pH meter. APHA 4500-H* B 23rd ed. 2017. Note: It is not possible to achieve the APHA Maximum Storage Recommendation for this test (15 min) when samples are analysed upon receipt at the laboratory, and not in the field. Samples and Standards are analysed at an equivalent laboratory temperature (typically 18 to 22 °C). Temperature compensation is used.	0.1 pH Units	1-7
Electrical Conductivity (EC)	Conductivity meter, 25°C. APHA 2510 B 23 rd ed. 2017.	1 μS/cm	1-7
Volatile Suspended Solids	Filtration (GF/C, 1.2 μm). Ashing 550°C, 30 min. Gravimetric. APHA 2540 E (modified) 23 rd ed. 2017.	0.5 g/m ³	1-7
Total Suspended Solids	Filtration of a 2L sample using Whatman 934 AH, Advantec GC-50 or equivalent filters (nominal pore size 1.2 - 1.5μm), gravimetric determination. APHA 2540 D (modified) 23 rd ed. 2017.	0.5 g/m³	1-7
Total Nitrogen	Calculation: TKN + Nitrate-N + Nitrite-N. Please note: The Default Detection Limit of 0.05 g/m³ is only attainable when the TKN has been determined using a trace method utilising duplicate analyses. In cases where the Detection Limit for TKN is 0.10 g/m³, the Default Detection Limit for Total Nitrogen will be 0.11 g/m³.	0.05 g/m ³	1-7
Total Ammoniacal-N Trace	Phenol/hypochlorite colorimetry. Flow injection analyser. (NH4-N = NH4+-N + NH3-N). APHA 4500-NH3 H 23 rd ed. 2017.	0.005 g/m ³	1-7
Nitrite-N Trace	Automated Azo dye colorimetry, Flow injection analyser. APHA 4500-NO ₃ -I (modified) 23 rd ed. 2017.	0.0010 g/m ³	1-7
Nitrate-N	Calculation: (Nitrate-N + Nitrite-N) - NO2N. In-House.	0.0010 g/m ³	1-7
Nitrate-N + Nitrite-N Trace	Total oxidised nitrogen. Automated cadmium reduction, flow injection analyser. APHA 4500-NO ₃ · I (modified) 23 rd ed. 2017.	0.0010 g/m³	1-7
Total Kjeldahl Nitrogen (TKN)	Total Kjeldahl digestion, phenol/hypochlorite colorimetry. Discrete Analyser. APHA 4500-N _{org} D (modified) 4500 NH ₃ F (modified) 23 rd ed. 2017.	0.10 g/m ³	1-7
Dissolved Reactive Phosphorus (trace)	Filtered sample. Molybdenum blue colorimetry. Flow injection analyser. APHA 4500-P G 23 rd ed. 2017.	0.0010 g/m³	1-7

^{#1} Statistically estimated count based on the theoretical countable range for the stated method.

^{#2} It has been noted that the result for Dissolved Reactive Phosphorus was greater than that for Total Phosphorus, but within the analytical variation of these methods.

Sample Type: Aqueous					
Test	Method Description	Default Detection Limit	Sample No		
Total Phosphorus	Total phosphorus digestion, ascorbic acid colorimetry. Discrete Analyser. APHA 4500-P B & E (modified from manual analysis and also modified to include a reductant to reduce interference from any arsenic present in the sample) 23 rd ed. 2017. NWASCO, Water & soil Miscellaneous Publication No. 38, 1982.	0.004 g/m ³	1-7		
HBRC Standard River		-	1-7		
Faecal Coliforms and E. coli profile	e	1	1		
Faecal Coliforms	Membrane Filtration, Count on mFC agar, Incubated at 44.5°C for 22 hours, Confirmation. APHA 9222 D 23 rd ed. 2017.	1 cfu / 100mL	1-7		
Escherichia coli	Membrane filtration, Count on mFC agar, Incubated at 44.5°C for 22 hours, MUG Confirmation. APHA 9222 I 23 rd ed. 2017.	1 cfu / 100mL	1-7		

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Testing was completed between 04-Oct-2020 and 10-Oct-2020. For completion dates of individual analyses please contact the laboratory.

Samples are held at the laboratory after reporting for a length of time based on the stability of the samples and analytes being tested (considering any preservation used), and the storage space available. Once the storage period is completed, the samples are discarded unless otherwise agreed with the customer. Extended storage times may incur additional charges.

This certificate of analysis must not be reproduced, except in full, without the written consent of the signatory.

Ara Heron BSc (Tech)

Client Services Manager - Environmental